

DESCRIPTION

Firewood/coal Continuous [Tea Machine Enzymatic Machine](#) is mainly used for batch production of green tea, oolong tea, herbal tea, Ivan tea and so on.

It has the advantages of controllable temperature, high production efficiency and low labor cost.

This green fixation uses firewood and coal for heating, easy to obtain fuel, and low fuel cost. It is an ideal device for making tea in a tea garden in a mountainous area.

The inner wall of the machine is made of a 3.5mm thick steel plate with a hot air circulation device. The internal temperature of the machine is small, the heat loss is small, the tea is more uniform, the color is beautiful, and the flavor is sufficient. It is the ideal equipment for mass production of high-quality tea.

ADVANTAGE

1. Excellent heat insulation, heat preservation and energy saving;
2. Use a controlled water vapor discharge system to save energy.
3. The inner barrel uses a new type of environmentally friendly fireproof insulation material, thickness up to 20mm, greatly reduces heat loss and saves energy by 30%.
4. The inner cylinder adopts 3.5mm thick steel plate to prevent the deformation of the cylinder body at high temperature, the work can store energy, the heat loss is less, the temperature change is smaller, and the energy is more energy-saving;
5. When tea fixation, the speed of the machine can be adjusted, according to the tea of different producing areas, different speed can be adjusted.

APPLICATION

[Tea Machine Enzymatic Machine](#) is suitable for processing black / green / oolong / white / dark / herbal tea, the following is the working time required for the above tea production.

| Type Of Tea | Working Time |
|-------------|--------------|
| Green Tea | 4-6 Minutes |
| Oolong Tea | 4-6 Minutes |
| Herbal Tea | 4-6 Minutes |

The above data is for reference only, and the specific processing time shall be determined according to the actual situation.

SPECIFICATION

| | |
|--------------|---------------|
| Drum speed | 5-37 min |
| Heating type | Wood and coal |
| Efficiency | 200 kg/h |

Specification of all of [Tea Machine Enzymatic Machine](#).

| Model | 6CSTL-CM60 | 6CSTL-CM80 | 6CSTL-CM100 |
|---------------|------------|------------|-------------|
| Drum Diameter | 60 cm | 80 cm | 100 cm |
| Drum Length | 300 cm | 400 cm | 480 cm |
| Capacity | 100 kg/h | 200 kg/h | 400 kg/h |

If you have special need, it can be customized according to the needs of customers.

PHOTOS






DELIJX.COM

CONTACT

If you are interested in this product, please contact us to get the price.



↑ ↑ Click the icon to get the latest price directly ↑ ↑



Quanzhou Deli Agroforestrial Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : info@delijx.com

Web: www.delijx.com

↓ ↓ You can also leave your contact information at the bottom.
We usually contact you in about 10 minutes ↓ ↓