

## DESCRIPTION

[Tea pressing machine](#) is mainly used for tea cake pressing operation.

All the parts of the machine which are the contact of the tea are made of 304 food-grade stainless steel to ensure the safety and cleanliness in the production of tea.

The machine has a manual mode and an automatic mode. to ensure that the tea cake tight, you can adjust different pressure values and pressurize time according to different tea leaves.

According to the needs of different customers, different types of molds can be customized. If you need to make other shapes of tea, please contact us.

## ADVANTAGE

1. Integrated design, large-enclosed appearance, with moving bottom wheel, overall beautiful and practical;
2. The main structural steel plate of the whole machine adopts Q345B high-strength steel plate;
3. The parts in contact with the materials are made of stainless steel plates to ensure the sanitary compliance;
4. Fully automatic control system and pressure sensing device make operation easier.

## SPECIFICATION

[Tea Cakes Compress Machine](#) specification list:

Model	DL-6CY1-15
Dimensions	700×760×1700 mm
Voltage	380/50 V/HZ
Pressing work stroke	≥200 mm
Pressurization method	Hydraulic
Number of stations	1
Maximum pressure	≥120 kN
Driving Power	3 kW
Motor Speed	1400 r/min
Rated Voltage	380 V
Output per hour	35 Kg/h

Specification of all of [Tea Cakes Compress Machine](#).

Model	<b>6CY1-15</b>	6CY2-15	6CY3-15
Press type	Hydraulic Press		
Pressure	≥120 kN		
Work station	<b>1</b>	2	3
Capacity	<b>35 kg/h</b>	70 kg/h	105 kg/h

If you have special need, it can be customized according to the needs of customers.



1. 压力 155kg

## Tea Cake Press Molding Machine DL-6CY1-15

Voltage: 380/50 V/HZ

Driving Power: 3 kW

For Green/Oolong/Yellow/Black/Dark/White Tea

Maximum pressure: =120 kN

Output per hour: 35 Kg/h  
Hydraulic



**L:70cm W:76cm H:170cm**

Website: [delijx.com](http://delijx.com) Email: [info@delijx.com](mailto:info@delijx.com)  
WhatsApp/ WeChat/ Tel: 0086-18120033767



## Tea cake pressing machine

fully hydraulically driven, has low noise and long service life. The hydraulic pressure and time can be freely adjusted to conveniently control the compactness of pressed tea cakes.







## **Infrared induction safety detector**

By emitting infrared rays, once a human body or other object enters the interior of the machine, it will immediately stop running, ensuring the personal safety of the operator.





## **Replaceable metal mold**

The metal replaceable mold made of high-strength alloy steel is compatible with all tea cake pressing molds on the market. It can produce tea cakes of various shapes such as square, round, and irregular shapes to meet the diverse market demands of customers.





## CONTACT

**If you are interested in this product, please contact us to get the price.**



**↑ ↑ Click the icon to get the latest price directly ↑ ↑**





Quanzhou Deli Agroforestril Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : [info@delijx.com](mailto:info@delijx.com)

Web: [www.delijx.com](http://www.delijx.com)

---

↓ ↓ You can also leave your contact information at the bottom.  
We usually contact you in about 10 minutes ↓ ↓