

DESCRIPTION

This [Mini Tea Dryer Machine](#) has 10 sieve trays, the diameter of each tray is 50 cm, total drying area of 2.12m². It can process 8 kg of wet tea per batch.

The intelligent electric heating rotary dryer adopts a new generation of the intelligent integrated control panel, which allows the dryer to heat up quickly, temperature-controlled, the air is even, lower noise, the tea loses water smoothly.

And the color of the tea leaves remains unchanged. The scent of tea is full and the shape is no broken.

The rotary drying design and unique air duct design are used to ensure the uniformity of drying of each layer. With high-strength electric heating wire, high-sealing sealing tape and a new generation of new environmentally friendly insulation materials, less internal temperature loss. More energy-saving and environmental friendly is the necessary equipment for the production of various high grade tea.

This machine can not only dry tea but also various foods such as fruits, vegetables, meat, seafood, etc.

ADVANTAGE

1. Unique air duct design, the air is more uniform and the noise is lower;
2. Rotary drying tray structure, drying more evenly;
3. Excellent heat insulation, heat preservation and energy saving;
4. The use of calcium silicate board increases the insulation effect;
5. Intelligent temperature control system, easy to operate and precise control;
6. Double temperature control design, protection is more in place.

APPLICATION

[Mini Tea Dryer Machine](#) is suitable for processing black / green / oolong / white / dark / herbal tea, the following is the working time required for the above tea production.

Type Of Tea	Temperature	Working Time
Black Tea	80-120°C	20-60 Minutes
Green Tea	80-120°C	20-60 Minutes
White Tea	80-120°C	20-60 Minutes
Oolong Tea	80-120°C	20-60 Minutes
Herbal Tea	80-120°C	20-60 Minutes

The above data is for reference only, and the specific processing time shall be determined according to the actual situation.

SPECIFICATION

[Mini Tea Dryer Machine](#) specification list:

Model	DL-6CHZ-2QB
-------	-------------

Dimension		710×680×1350 mm
Voltage		220V 50HZ
Heating element		Electric heating wire
Total heating power		3.0 KW
Heating element group		1 Group
Fan motor	Power	0.18 KW
	Speed	1400 rpm
	Rated voltage	220 V
Pallet rotary motor	Power	15 W
	Speed	1250 rpm
	Rated voltage	220 V
Pallet rotary speed		6 rpm
Pallet type		Round
Effective drying area		2.12 m ²
Number of drying pallet		10
Capacity per batch		6-8 kg/time

Specification of all of [Orthodox Tea Dryer Machine](#).

Model	6CHZ-2	6CHZ-5	6CHZ-9	6CHZ-14	6CHZ-34
Trays Quantity	10 pcs	14 pcs	16 pcs	16 pcs	36 pcs
Trays Diameter	50 cm	70 cm	90 cm	110 cm	110 cm
Drying Area	2 m ²	5 m ²	9 m ²	14 m ²	34 m ²
Capacity	6-8 kg	15-20 kg	27-36 kg	42-56 kg	102-136 kg

If you have special need, it can be customized according to the needs of customers.

PHOTOS

Assistant
...Delix Tea Machine

力. 1052203767

Rotary Tea Dryer DL-6CHZ-2QB

Voltage : 220V 50HZ
Heating Power : 3 kw
Tray Layers : 10 Layers
Tray Diameter : 50 cm
For All Kind Tea

6 kg Per Batch
Drying Area : 2m²
All Stainless Steel



L:71cm W:68cm H:135cm

Website: delijx.com Email: info@delijx.com
WhatsApp/ WeChat/ Tel: 0086-18120033767



Assistant
Delijx machine



DELIJX.COM











Assistant
—Deli Tea Machine

DELIJX.COM



DELIJX.COM

CONTACT

If you are interested in this product, please contact us to get the price.



↑ ↑ Click the icon to get the latest price directly ↑ ↑



Quanzhou Deli Agroforestrial Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : info@delijx.com

Web: www.delijx.com

↓ ↓ You can also leave your contact information at the bottom.
We usually contact you in about 10 minutes ↓ ↓