

DESCRIPTION

- **Functional Positioning:** For grinding agricultural products post-drying; suitable for tea, Chinese medicinal materials, grains; grinds ground tea to 200-600 meshes.
- **Structural Design:** Drum-type with chain transmission; adjustable drum angle (10°-20° or 90° vertical reset); equipped with a tea discharge drawer.
- **Core Configuration:** 0.55KW motor , PLC control system, supporting variable-frequency speed regulation and 10-20h timing.
- **Basic Parameters:** Total weight 110kg, dimension approx. 65*68*130 cm, single input of ground tea 10kg; to be used in a sound-insulated, heat-preserved room at 5-15°C.

ADVANTAGE

1. **High Grinding Quality:** 5-15°C air cooling + Granite drum preserves raw material color and aroma; fineness up to 500-800 meshes, with uniform and stable finished products.
2. **Easy Operation:** Supports variable-frequency speed regulation (mainly 40-50Hz) and precise timing; adjustable drum angle, clear PLC panel, and forklift holes on the frame for easy movement.
3. **Durable Structure:** Key components made of Granite, frame of carbon steel; transmission system maintainable regularly to extend service life.
4. **Safe & Efficient:** Equipped with safety shield, grounding protection, and emergency stop button; single-machine capacity 10kg/h; compact structure saves space, suitable for large-scale production.

APPLICATION

Matcha tea stone mill grinder is mainly process matcha, the following is the working time required for the above tea production.

Type Of Tea	Working Time
Black Tea	Hours
Green Tea	Hours
White Tea	Hours
Oolong Tea	Hours
Herbal Tea	Hours

The above data is for reference only, and the specific processing time shall be determined according to the actual situation.

SPECIFICATION

Matcha tea Ball mill grinder specification list:

Model	DL-6CYMJ-32
Dimension	65*68*130 cm
Voltage	220V 50/60Hz
Stone plate diameter	32 cm
Stone plate thickness	12 cm
Stone plate quantity	2 pcs
Power	0.55 KW
Matcha Size	≤ 15μm
Capacity	≈ 50g/hour
Machine weight	110 kgs

If you have special need, it can be customized according to the needs of customers.

PHOTOS











CONTACT

If you are interested in this product, please contact us to get the price.



↑ ↑ Click the icon to get the latest price directly ↑ ↑

