

## DESCRIPTION

This [Rotating Tea Drying Machine](#) has 16 sieve trays, the diameter of each tray is 90 cm, total drying area of 10m<sup>2</sup>. It can process 27-36 kg of wet tea per batch.

A new type of environmentally friendly high-temperature heat-resistant insulation material, with a thickness of 3 cm, and completely covering the machine to ensure that no heat is wasted and 30% energy saving. The door is lined with high-temperature resistant elastic rubber strips, which can seal the door of the machine to prevent hot air from escaping.

Using high-strength steel hinges and door handles, the service life of the machine is increased by 40% compared with other companies, The drying machine use of stainless steel sieve trays will not produce harmful substances, ensuring the cleanliness of tea production

## ADVANTAGE

1. Rotary drying design, the tea leaves are heated evenly and drying more quickly.
2. More than 50% of the whole machine adopts modular design, shorter production time for batch orders, and easier replacement of parts.
3. The patented air duct design allows the bottom of each sieve tray to enter the air, which quickly removes the moisture in the tea and improves the drying efficiency.
4. The machine with strong exhaust air has a quick moisture exhaust outlet, and the air outlet is opened at the beginning of drying to allow moisture to be discharged faster and improve production efficiency.

## APPLICATION

[Small Tea Drying Machine](#) is suitable for processing black / green / oolong / white / dark / herbal tea, the following is the working time required for the above tea production.

Type Of Tea	Temperature	Working Time
Black Tea	80-120°C	20-60 Minutes
Green Tea	80-120°C	20-60 Minutes
White Tea	80-120°C	20-60 Minutes
Oolong Tea	80-120°C	20-60 Minutes
Herbal Tea	80-120°C	20-60 Minutes

The above data is for reference only, and the specific processing time shall be determined according to the actual situation.

## SPECIFICATION

[Tea Dryer Machine](#) specification list:

Model	DL-6CHZ-9B
-------	------------

Dimension		1420×1100×2190 mm
Voltage		380V 50HZ
Heating element		Electric heating wire
Total heating power		13.5 KW
Heating element group		1 Group
Fan motor	Power	0.18 KW
	Speed	1400 rpm
	Rated voltage	220 V
Pallet rotary motor	Power	15 W
	Speed	1250 rpm
	Rated voltage	220 V
Pallet rotary speed		6 rpm
Pallet type		Round
Effective drying area		10.1 m <sup>2</sup>
Number of drying pallet		16
Capacity per batch		27-36 kg/time

Specification of all of [Orthodox Tea Dryer Machine](#).

Model	6CHZ-2	6CHZ-5	6CHZ-9	6CHZ-14	6CHZ-34
Trays Quantity	10 pcs	14 pcs	16 pcs	16 pcs	36 pcs
Trays Diameter	50 cm	70 cm	90 cm	110 cm	110 cm
Drying Area	2 m <sup>2</sup>	5 m <sup>2</sup>	9 m <sup>2</sup>	14 m <sup>2</sup>	34 m <sup>2</sup>
Capacity	6-8 kg	15-20 kg	27-36 kg	42-56 kg	102-136 kg

If you have special need, it can be customized according to the needs of customers.

## PHOTOS

**Assistant**  
...Delix Tea Machine

得力. 的烘干机

# Rotary Tea Dryer DL-6CHZ-9B

Voltage : 380V 50HZ  
Heating Power : 15 kw  
Tray Layers : 16 Layers  
Tray Diameter : 90 cm  
For All Kind Tea

27 kg Per Batch  
Drying Area : 9m<sup>2</sup>  
Stainless Steel Trays



Website: [delijx.com](http://delijx.com) Email: [info@delijx.com](mailto:info@delijx.com)  
WhatsApp/ WeChat/ Tel: 0086-18120033767





茶叶烘焙机 泉州得力农林机械有限公司  
QUANZHOU DELI AGRICULTURE MACHINERY CO., LTD  
科技部科技型中小企业创新基金立项企业  
国家农业机械购置补贴入选企业  
售后服务热线: 0595-23112315



[DELIJX.COM](http://DELIJX.COM)

生产车间 1





**CONTACT**

**If you are interested in this product, please contact us to get the price.**



**↑ ↑ Click the icon to get the latest price directly ↑ ↑**



Quanzhou Deli Agroforestrial Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : [info@delijx.com](mailto:info@delijx.com)

Web: [www.delijx.com](http://www.delijx.com)

---

↓ ↓ You can also leave your contact information at the bottom.  
We usually contact you in about 10 minutes ↓ ↓