DESCRIPTION

- **Functional Positioning**: For grinding agricultural products post-drying; suitable for tea, Chinese medicinal materials, grains; grinds ground tea to 300-800 meshes.
- **Structural Design**: Drum-type with chain transmission; adjustable drum angle (10°-20° or 90° vertical reset); equipped with a tea discharge drawer.
- **Core Configuration**: 2.2KW motor, PLC control system, supporting variable-frequency speed regulation and 10-20h timing.
- **Basic Parameters**: Total weight 400kg, dimension approx. 1150×1120×1130mm, single input of ground tea 10kg; to be used in a sound-insulated, heat-preserved room at 5-15°C.

ADVANTAGE

- 1. **High Grinding Quality**: 5-15°C air cooling + Granite drum preserves raw material color and aroma; fineness up to 500-800 meshes, with uniform and stable finished products.
- 2. **Easy Operation**: Supports variable-frequency speed regulation (mainly 40-50Hz) and precise timing; adjustable drum angle, clear PLC panel, and forklift holes on the frame for easy movement.
- 3. **Durable Structure**: Key components made of Granite, frame of carbon steel; transmission system maintainable regularly to extend service life.
- 4. **Safe & Efficient**: Equipped with safety shield, grounding protection, and emergency stop button; single-machine capacity 10kg/h; compact structure saves space, suitable for large-scale production.

APPLICATION

Matcha tea stone mill grinder is mainly process matcha, the following is the working time required for the above tea production.

Type Of Tea	Working Time
Black Tea	Hours
Green Tea	Hours
White Tea	Hours
Oolong Tea	Hours
Herbal Tea	Hours

The above data is for reference only, and the specific processing time shall be determined according to the actual situation.

SPECIFICATION

Matcha tea Ball mill grinder specification list:

Model	DL-6CYM-70
Dimension	115×112×133cm
Voltage	220V / 380V
Power	2.2 kw
Plate Diameter	70cm
Plate Thickness	26cm * 2
Plate Materials	Granite
Matcha Size	≈ 50µm
Capacity	10 kg/h
Machine weiht	400 kgs

If you have special need, it can be customized according to the needs of customers.

PHOTOS







CONTACT

If you are interested in this product, please contact us to get the price.



↑ ↑ Click the icon to get the latest price directly ↑ ↑