

DESCRIPTION

Tea rolling machine can use for most of tea such as black tea, green tea, and oolong tea, for green tea (non-fermented) is mainly used for shaping the strip type, for black tea (fermented tea) is mainly used to destroy the cells of fresh tea leaves, so that the juice in tea can flow out and facilitate subsequent fermentation.


Through the external force of the tea roller machine, the tea leaf's juice overflows, the tea cells are damaged, fresh tea leaf is twisted and curled into a strip shape, the juice in the fresh tea leaves is squeezed out. When brewing, the taste is stronger, the color of the tea soup is brighter and the quality of the tea is better.

ADVANTAGE

1. Turbine worm gearbox design, deceleration is stable and durable.
2. The bottom discharge handle design, gently push the handle, the tea can fall easily.
3. The heightened design of the rolling barrel can prevent the tea leaves from falling.
4. The supporting part of the machine is made of cast iron, which is strong and durable.
5. The arc of the rolling bar has been improved for decades, and the optimal design has been obtained. The efficiency of tea leaves been the strip-type is increased by 30%.

EXPLODED VIEW

力. 105820033767



Website: delijx.com Email: info@delijx.com
 WhatsApp/ WeChat/ Tel: 0086-18120033767

①	Transverse arm	⑧	Press spring
②	Barrel cover	⑨	Support column
③	Stainless steel Drum	⑩	Handwheel
④	Crank	□	Support frame
⑤	Transmission case	□	Rolling disc
⑥	Transmission belt	□	Tea outlet
⑦	Drive motor	□	Support leg

APPLICATION

Tea Rolling Table Machine is suitable for processing black / green / oolong / white / dark / herbal tea, the following is the working time required for the above tea production.

Type Of Tea	Working Time
Black Tea	30-90 minutes
Green Tea	4-6 minutes
Oolong Tea	4-6 minutes
Herbal Tea	4-6 minutes

The above data is for reference only, and the specific processing time shall be determined according to the actual situation.

SPECIFICATION

[Tea Rolling Table Machine](#) specification list:

Model		DL-6CRT-65
Dimension		1490*1390*1620 mm
Input voltage		380V / 50Hz
Tea disc diameter		1210 mm
Barrel diameter		650 mm
Barrel height		480 mm
Matching motor	Power	4 kW
	Speed	1400 RPM
	Rated voltage	380 V
Barrel speed		44 RPM
Weight		495 Kg
Max capacity per batch		60 kg/batch
Capacity for green tea		60-600 kg/h
Capacity for black tea		60-120 kg/h

Specification of all of [Tea Rolling Table Machine](#).

Model	Barrel Diameter	Barrel Height	Capacity
6CRT-25	25 cm	18 cm	3 kg/batch
6CRT-30	30 cm	21 cm	5 kg/batch
6CRT-35	35 cm	26 cm	8 kg/batch
6CRT-40	40 cm	25 cm	11 kg/batch
6CRT-45	45 cm	28 cm	15 kg/batch
6CRT-50	50 cm	28 cm	20 kg/batch
6CRT-55	55 cm	40 cm	35 kg/batch
6CRT-65	65 cm	48 cm	60 kg/batch

If you have special need, it can be customized according to the needs of customers.

DETAILS



The distance between the rolling barrel and the rolling disc of each machine is different to ensure that each machine can make the best quality tea.



The supporting part of the machine is made of cast iron, which is strong and durable.



The double arms adopt a double-arm open cover structure, which has a strong bearing capacity and stable operation.



The unique design of rolling disc and rolling bar inclination angle, the speed is increased by 30% compared with other companies.

PHOTOS



力. 1155820

Tea Rolling Machine DL-6CRT-65

Voltage: 380V 50HZ

Power: 4 kw

Barrel Diameter: 65 cm

Barrel Height: 48 cm

For All Kind Tea

60 kg Per Batch

120-600 kg/hour

Stainless Steel Type



L:149cm W:139cm H:142cm

Website: delijx.com Email: info@delijx.com
WhatsApp/ WeChat/ Tel: 0086-18120033767





DELIJX.COM



CONTACT

If you are interested in this product, please contact us to get the price.



↑ ↑ Click the icon to get the latest price directly ↑ ↑



Quanzhou Deli Agroforestril Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : info@delijx.com

Web: www.delijx.com

↓ ↓ You can also leave your contact information at the bottom.
We usually contact you in about 10 minutes ↓ ↓