

DESCRIPTION

The [Multi-Function Ride On Type Tea Harvester](#) is a high-performance tool for commercial tea gardens. Featuring ride-on operation, adjustable picking parameters, and integrated collection/sorting, it replaces manual picking to save labor significantly. With 5-10x higher efficiency (0.3-0.8 ha/h) and precision plucking that preserves tea quality, it's ideal for modern large-scale tea production.

ADVANTAGE

1. Equipped with an ergonomic comfortable seat, reducing operator fatigue during long - time field work effectively.
2. Picking height (5 - 30cm) and width (50 - 150cm) adjustable, adapting to different tea tree heights and planting densities.
3. High - quality blades/claws separate buds and leaves precisely, avoiding branch damage and ensuring tea trees' subsequent growth.
4. Integrated automatic collection system stores picked tea leaves immediately, preventing loss and contamination from field impurities.
5. Built - in multi - stage sorting device separates impurities and broken leaves quickly, improving tea raw material purity and quality.
6. High - speed continuous harvesting, efficiency up to 0.3 - 0.8 ha/h, far exceeding traditional manual picking.
7. Flexible steering with a small minimum turning radius, suitable for complex terrains like terraced and sloping tea gardens.
8. Equipped with an intelligent control panel, real - time monitoring work status, one - key adjustment of key parameters, easy to operate.

APPLICATION

This [Multi-Function Ride On Type Tea Harvester](#) boasts excellent adaptability, capable of harvesting a wide range of tea varieties. It precisely picks tender buds, one bud with one leaf and one bud with two leaves for green tea, minimizing leaf damage. For oolong tea, it supports mid - tender leaf picking to meet the raw material requirements of spherical and strip - shaped oolong tea. Compatible with multi - tender leaves for black tea, it satisfies the harvesting needs of fermented tea raw materials. It accurately collects buds and young leaves for white tea to preserve the fresh taste of raw materials, and is also suitable for harvesting diverse economic teas like herbal tea leaves and functional tea leaves.

SPECIFICATION

Model	DL-4CZ-1800
Dimension	3100×2000×2360mm
Track spacing	1800mm

Cutting width	1600mm
Working height	380mm-690mm
Spray width	6000mm
Safety slope angle	$\leq 25^\circ$
Low speed walking speed	4-5km/h
High speed walking speed	9-11km/h
Hourly homework area	3300m ² -4700m ²
Rated output power	45KW

If you have special needs, it can be personalized according to customer needs.

Photos







CONTACT

If you are interested in this product, please contact us for the price.



↑ ↑ Click on the icon to get the last price directly ↑ ↑



Quanzhou Deli Agroforetrial Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,
Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : info@delijx.com

Web: www.delijx.com

↓ ↓ You can also leave your contact details at the bottom. We usually contact you in about 10 minutes ↓ ↓