

DESCRIPTION

The [Tea Winning Sorting Machine](#) uses a large air volume motor to screen different sizes of tea leaves (different in size and weight of tea) by the blowing of the wind.

Different wind speeds can be adjusted for different tea leaves to achieve the best screening effect.

It can screen out the tea powder, fragmented tea, strip teas of different lengths, granular teas of different sizes etc. It is suitable for most tea production and is an indispensable screening device for tea factories.

In addition to screening tea, other materials can also be screened, such as for herb removal of impurities, peanut peeling, seeds, and rhizomes, etc., which is an ideal device for screening small and medium materials.

ADVANTAGE

1. It adopts large air volume fan and can be equipped with adjustable speed motor 5. It can be used for sorting different materials;
2. Stainless steel hopper environmental protection and sanitation;
3. The inlet and outlet of the hoist are equipped with vibration drop, and the blanking material is more dispersed and more uniform.

SPECIFICATION

[Tea Winning Sorting Machine](#) specification list:

Model	DL-6CFX-40
Dimensions (L*W*H)	4080×760×2130 mm
voltage / frequency	380/50 V/Hz
Feeding method	Hoister
Grade	4 Level
Fan speed control mode	YCT speed regulation
Fan power	1.5 kW
Motor speed	1400 r/min
Rated voltage	380 V
Hoist Power	1.1 kW
Lifting Height	1560 mm
Conveying Bandwidth	225 mm
Output per hour	500 Kg/h

If you have special need, it can be customized according to the needs of customers.

PHOTOS







CONTACT

If you are interested in this product, please contact us to get the price.



↑ ↑ Click the icon to get the latest price directly ↑ ↑



Quanzhou Deli Agroforestrial Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : info@delijx.com

Web: www.delijx.com

↓ ↓ You can also leave your contact information at the bottom.
We usually contact you in about 10 minutes ↓ ↓